

EXAMGOOD

QUESTION & ANSWER

Exam Good provides update free of charge in one year!

Accurate study guides
High passing rate!

<http://www.examgood.com>

Exam : **200-901**

Title : Developing Applications and
Automating Workflows using
Cisco Core Platforms
(DEVASC)

Version : DEMO

1.What is an example of a network interface hardware address?

- A. domain name
- B. IP address
- C. workstation name
- D. MAC address

Answer: D

2.DRAG DROP

Drag and drop the code from the bottom onto the box where the code is missing in the Bash script to complete the missing assignment.

```
#!/bin/bash
[ ] = `date +%b-%d-%y`
[ ] = /home/user/path/backup-$BACKUPTIME.tar.gz
[ ] = /home/user/path/data_folder
tar -cpzf $DESTINATION $SOURCEFOLDER
```

- BACKUPTIME
- SOURCEFOLDER
- DESTINATION

Answer:

```
#!/bin/bash
BACKUPTIME = `date +%b-%d-%y`
DESTINATION = /home/user/path/backup-$BACKUPTIME.tar.gz
SOURCEFOLDER = /home/user/path/data_folder
tar -cpzf $DESTINATION $SOURCEFOLDER
```

- BACKUPTIME
- SOURCEFOLDER
- DESTINATION

3.Which protocol must be allowed on the firewall so that NTP services work properly?

- A. ICMP
- B. BGP
- C. UDP
- D. TCP

Answer: C

Explanation:

Reference:

<https://www.cisco.com/c/en/us/support/docs/ip/network-time-protocol-ntp/108076-ntp-troubleshoot.html>

4. A company is adopting DevOps as part of an internal transformation, and is reviewing the success of the first deployments. Developers and engineers are working together to resolve any resulting issues. However, this new way of working has increased overhead, and the team is finding it difficult to complete releases in time.

Which area of the CALMS framework must the company target for improvement?

- A. Collaboration
- B. Lean
- C. Sharing
- D. Measurement

Answer: B

Explanation:

Reference: <https://blog.sonatype.com/principle-based-devops-frameworks-calms>

5. Refer to the exhibit.

```
---
- hosts: CISCO_ROUTER_01
  gather_facts: true
  connection: network_cli

  tasks:
    - name: show conf
      ios_command:
        commands:
          - show conf
      register: config

    - name: save output to /etc/ansible/configs
      copy:
        content: "{{ config.stdout[0] }}"
        dest: "/etc/ansible/configs/show_conf_{{ inventory_hostname }}.txt"
```

What is the result of executing this Ansible playbook?

- A. The playbook copies a new start-up configuration to CISCO_ROUTER_01.
- B. The playbook backs up the running configuration of CISCO_ROUTER_01.
- C. The playbook backs up the start-up configuration of CISCO_ROUTER_01.
- D. The playbook copies a new running configuration to CISCO_ROUTER_01.

Answer: C