



# EXAMGOOD

## QUESTION & ANSWER

Exam Good provides update free of charge in one year!

Accurate study guides  
High passing rate!

<http://www.examgood.com>

**Exam** : **650-968**

**Title** : Configuring Cisco UCS and  
Cisco Catalyst 3000 for  
Vblock Series 100

**Version** : DEMO

1. In a Cisco Catalyst 3000 switch, which QoS feature typically delays excess traffic, smoothing bursts and preventing unnecessary drops?

- A. Shaping
- B. Queuing
- C. WRED
- D. Marking
- E. Classification
- F. Policing

**Answer:** A

2. Which two of the following features can be configured using CIMC on a Cisco UCS C220 M3 Rack Server? (Choose two.)

- A. FC boot option for B-Series blades
- B. iSCSI boot option for B-Series blades
- C. UCSM to FI connectivity
- D. vNIC configuration for the P81E VIC
- E. IPMI and SoL

**Answer:** D,E

Explanation: [http://www.cisco.com/en/US/docs/unified\\_computing/ucs/c/sw/gui/config/guide/1.5/b\\_Cisco\\_UCS\\_C-series\\_GUI\\_Configuration\\_Guide.151\\_chapter\\_01001.html](http://www.cisco.com/en/US/docs/unified_computing/ucs/c/sw/gui/config/guide/1.5/b_Cisco_UCS_C-series_GUI_Configuration_Guide.151_chapter_01001.html)

3. Which three of the following can the Host Upgrade Utility upgrade individually or as a group? (Choose three.)

- A. CiscoUCSP81EVIC
- B. Red Hat operating system
- C. Windows 7 operating system
- D. System BIOS
- E. CIMC

**Answer:** A,D,E

Explanation: [http://www.cisco.com/c/en/us/td/docs/unified\\_computing/ucs/c/sw/lomug/1-5x/b\\_huu\\_1\\_5\\_4/b\\_huu\\_1\\_5\\_4\\_chapter\\_01.html](http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/c/sw/lomug/1-5x/b_huu_1_5_4/b_huu_1_5_4_chapter_01.html)

4. Which of the following is possible via CIMC on a Cisco UCS C220 M3?

- A. CIMC does not allow the admin account to be deleted, renamed, or disabled.
- B. CIMC does not allow the admin account to be deleted and renamed, but it can be disabled.
- C. CIMC does not allow the admin account to be deleted or renamed, but it can be disabled.
- D. CIMC allows the admin account to be deleted, renamed, or disabled.

**Answer:** A

5. If the BIOS of the Cisco UCS C220 M3 Rack Server is corrupted, which tools can be used for recovery without processing an RMA?

- A. The CIMC interface allows recovery without processing an RMA.
- B. The Host Upgrade Utility allows recovery without processing an RMA.
- C. The NX-OS CLI allows recovery without processing an RMA.

D. There is no way to recover without processing an RMA.

**Answer:** A

Explanation:[http://www.cisco.com/c/en/us/td/docs/unified\\_computing/ucs/c/hw/C220/install/C220/install.html#p\\_gfld-1416982](http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/c/hw/C220/install/C220/install.html#p_gfld-1416982)