EXAMGOOD

QUESTION & ANSWER

Exam Good provides update free of charge in one year!

Accurate study guides

High passing rate!

http://www.examgood.com

Exam : **700-501**

Title : SMB Specialization for Engineers

Version : DEMO

1.When you design a customer network that is composed only of a pure Layer 2 switch and a router, which feature should you enable to support communication among VLANs?
A.VLANs cannot communicate when only a router and a Layer 2 switch are used in the design.
B.Spanning Tree on the Layer 2 switch
C.Static routes on the Layer 2 switch
D.Trunking between the Layer 2 switch and the router
E.Uplink port aggregation on the router
Answer: D

2.Which statement about Cisco CleanAir technology is true?
A.It features chip-level proactive and automatic interference mitigation.
B.It features chip-level proactive and automatic electronic beam forming.
C.It features automatic advanced radio frequency shaping.
D.It is a feature of the Cisco Aironet 1600 Series AP
Answer: A

3.Which three options can be connected directly to a Cisco Nexus switch? (Choose three.)
A.Token ring network
B.Storage area network
C.Server cluster
D.Local area network
E.4G network
F.Wide area network
Answer: B, C, D

4.Which two product portfolios help make up the FlexPod Express solution? (Choose two.)
A.Cisco Nexus 5000
B.Cisco ISR 1900, 2900, and 3900 Series
C.Cisco UCS E-Series Servers
D.Cisco Nexus 3048 Switch
E.Cisco ISR 2900 and 3900 Series
F.Cisco UCS C-Series Server
Answer: D, F

5.Which three options are pillars of the Cisco Security Intelligence Operations? (Choose three.)
A.Dynamic updates
B.OpenBTS Database
C.Cloud base
D.Threat Operations Center

E.Sensor base

F.Manual updates

Answer: A, D, E

Explanation:

Cisco SIO is composed of three pillars: Cisco SensorBas, a comprehensive threat database; Threat Operations Center with 500 security analysts and constant dynamic updates fed to Cisco security devices.