

EXAMGOOD

QUESTION & ANSWER

Exam Good provides update free of charge in one year!

Accurate study guides
High passing rate!

<http://www.examgood.com>

Exam : **A00-215**

Title : SAS 9.4 Programming
Fundamentals Exam

Version : DEMO

1.Which step temporarily assign a format to the sales variable?

- A. Proc format; Formatsales comma12.; Run;
- B. Data sasuer. Shoes Set sashelp,sheoes; Format sales comma12.;
- C. Proc contents data=sashelp.shoes; Format Sales comma12.; Run;
- D. Proc print data= sashelp. Shoes Format sales comma12.; Run;

Answer: D

2.Which PROC PRINT option displays variable labels in the report?

- A. SHOWLABELS
- B. COLS
- C. LABELS=
- D. LABEL

Answer: C

3.You submit a program and the SAS log is shown below:

```
177 data work.africa;
178     set sashelp.shoes;
179     where Region='Africa';
180     Increase=Sales*1.05;
181 run;

NOTE: There were 56 observations read from the data set
      SASHELP.SHOES.
      WHERE Region='Africa';
NOTE: The data set WORK.AFRICA has 56 observations and 8
      variables.

182
183 proc sort data=work.africa;
184     by ascending Increase;
ERROR: Variable ASCENDING not found.
185 run;

NOTE: The SAS System stopped processing this step because of
      errors.

186
187 proc print data=work.africa;
188 run;

NOTE: There were 56 observations read from the data set
      WORK.AFRICA.
```

Which statement is true regarding the submitted program?

- A. The error in the PROC SORT step caused the program to stop processing
- B. All three steps ran successfully
- C. The DATA step and PROC PRINT steps ran without errors.
- D. The PROC SORT and PROC PRINT steps failed.

Answer: A

4.The data set Snacks contains three variables (productName, Flavor, and Price).

Given the program shown below:

```
data ChipsPopcorn;  
  set Snacks;  
  SnackType = "Chips";  
  length SnackType $ 7;  
run;
```

What is the type and length of SnackType?

- A. Numeric, 8
- B. Character, 7
- C. Character, 8
- D. Character, 5

Answer: A

5.Which statement is true regarding variable names?

- A. Variable names are case sensitive.
- B. Variable names are from 1 to 32 characters in length.
- C. Variable names are optional when you create a data set
- D. Variable names can start with a number or an underscore

Answer: B