

The logo for Exam Good, with the word 'EXAMGOOD' in a bold, sans-serif font. Each letter is a different color: E (black), X (pink), A (blue), M (green), G (orange), O (orange), O (orange), D (orange).

QUESTION & ANSWER

Exam Good provides update free of charge in one year!

The background of the page is a large, abstract geometric shape composed of many overlapping triangles in various colors including purple, red, orange, yellow, and blue. The shape is roughly triangular and points towards the right side of the page.

Accurate study guides
High passing rate!

<http://www.examgood.com>

Exam : **AD0-E313**

Title : Adobe Campaign Classic
Developer Certified
Professional

Version : DEMO

1.A Campaign developer wants to create a drop-down listing cities.

Which enumeration should they use?

- A. Dbenum Enumeration
- B. Free Enumeration
- C. Set Enumeration
- D. Open list Enumeration

Answer: C

2.Adobe Campaign has out-of-the-box namespaces.

What are two of these namespaces? Choose the two correct answers.

- A. xtn
- B. ncm
- C. xkt
- D. xtk
- E. nca

Answer: A,D

3.What is the correct way to define enumeration?

A)

```
<enumeration basetype="char" name="gender">
  <value label="Not specified" name="unknown" value="0"/>
  <value label="Male" name="male" value="1"/>
  <value label="Female" name="female" value="2"/>
</enumeration>
```

B)

```
<enumeration basetype="byte" name="gender"/>
  <value label="Not specified" name="unknown" value="0"/>
  <value label="Male" name="male" value="1"/>
  <value label="Female" name="female" value="2"/>
```

C)

```
<enumeration name="gender">
  <value label="Not specified" name="unknown" value="0"/>
  <value label="Male" name="male" value="1"/>
  <value label="Female" name="female" value="2"/>
</enumeration>
```

D)

```
<enumeration basetype="byte" name="gender">
  <value label="Not specified" name="unknown" value="0"/>
  <value label="Male" name="male" value="1"/>
  <value label="Female" name="female" value="2"/>
</enumeration>
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

4.A developer wishes to merge the value of two different columns within the target dimension.

@firstChild & @secondChild, into one column separated by a space.

What is the tight expression for this use case?

- A. concat(@>firstChild. @secondChild)

- B. `concat(@firstChild, @secondChild, " ")`
- C. `JuxtWords(@firstChild, @secondChild)`
- D. `JuxtWords2(@firstChild, @secondChild)`

Answer: A

5. When following Content Management creation principles, what is the best practice when defining the identification key of the schema, form, and publication template?

- A. Use the same namespace
- B. Use the same namespace and internal
- C. Use the same label and internal name
- D. Use the same label

Answer: A