EXAMGOOD

QUESTION & ANSWER

Exam Good provides update free of charge in one year!

Accurate study guides

High passing rate!

Exam : **APD01**

Title : Blue Prism Professional Developer

Version : DEMO

1.The following screen displays order details in a client's order system application. An order is entered into the Order number field and the details for that order are displayed. There is a requirement to read the Product code value from the resulting display. The Product code will vary between orders.

The Product Code label has been successfully spied and the following attributes have been returned:

Element Details

Name	Label - Product Code
Description	
Element Type	Label
Data Type	Text

Attributes | **Notes**

Name	▼ Mat...	Match Type	Value
Window Text	✓	= (Equal)	Product code
Visible	✓	= (Equal)	True
Screen Visible	✓	= (Equal)	True
Enabled	✓	= (Equal)	True
Class Name	✓	= (Equal)	WindowsForms10...
Y	☐	= (Equal)	89
X	☐	= (Equal)	12
Width	☐	= (Equal)	72
Type Name	☐	= (Equal)	
Screen Bounds	☐	= (Equal)	RECT:215,314,327,2...
Parent Y	☐	= (Equal)	200
Parent X	☐	= (Equal)	200
Parent Window Text	☐	= (Equal)	View order
Parent Width	☐	= (Equal)	222

The Product Code value field has been spied and the following attribute set has been selected:

Element Details

Name	Screen Text - Product Code
Description	
Element Type	Label ▼
Data Type	Text

Attributes | Notes

Name	Mat...	Match Type	Value
Y	☑	Dynamic	89
Window Text	☑	= (Equal)	BQT-38
Visible	☑	= (Equal)	True
Screen Visible	☑	= (Equal)	True
Enabled	☑	= (Equal)	True
Class Name	☑	= (Equal)	WindowsForms10...
X	☐	Dynamic	89
Width	☐	= (Equal)	45
Type Name	☐	= (Equal)	
Screen Bounds	☐	= (Equal)	RECT:292,314,327,3...
Parent Y	☐	= (Equal)	200
Parent X	☐	= (Equal)	200
Parent Window Text	☐	= (Equal)	View order

In order to ensure a consistent match for the Screen Text – Product Code element, which of the following statements must be considered:

1. The Dynamic value of the Y attribute for the Screen Text – Product Code element must be derived from the Y attribute of the Label –Product Code element

2. The Y attribute of the Label –Product Code element cannot be derived as it is not checked

3. The Y attribute for the Screen Text – Product Code element must be set to a Match Type of 'Equal'

4. The Window Text attribute for the Screen Text – Product Code element must be set to a Match Type of 'Wildcard'

5. The Window Text attribute for the Screen Text – Product Code element must be un-checked

A. 1 and 4

B. 1, 2 and 5

C. 3 and 4

D. 1 and 5

Answer: D

2.Which of the following Application Models follow Blue Prism Best Practice:

A)

```
Order System
    Button - Continue
    Log in Window
    Input - Staff Number
    Input - Password
    Button - Sign in
    Options Window
    Input - Option Number
    Button - Go
    New Order
    Input - Product Code
    Input - Number Required
    Input - Cost Centre
    Input - Unit Price
    Screen Text - Total Price
    Button - Submit Order
    Order Confirmation
    Screen Text - Order Reference
```

B)

```
Order System
    Log in Window
        Input - Staff Number
        Input - Password
        Button - Sign in
    Options Window
        Input - Option Number
        Button - Go
    New Order
        Input - Product Code
        Input - Number Required
        Input - Unit Price
        Input - Cost Centre
        Screen Text - Total Price
        Button - Submit Order
    Order Confirmation
        Screen Text - Order Reference
        Button - Continue
```

C)

```
☐ Order System
    ☐ Log in Window
         ─ Staff Number
         ─ Password
         └ Sign in
    ☐ Options Window
         ─ Option Number
         └ Go
    ☐ New Order
         ─ Product Code
         ─ Number Required
         ─ Unit Price
         ─ Cost Centre
         ─ Total Price
         └ Submit Order
    ☐ Order Confirmation
         ─ Order Reference
         └ Continue
```

D)

```
☐ Order System
         ─ Log in Window
         ─ Staff Number
         ─ Password
         ─ Sign in
         ─ Options Window
         ─ Option Number
         ─ New Order
         ─ Product Code
         ─ Number Required
         ─ Unit Price
         ─ Cost Centre
         ─ Total Price
         ─ Submit Order
         ─ Order Confirmation
         ─ Order Reference
         ─ Continue
         └ Go
```

A. Option A
B. Option B
C. Option C
D. Option D
Answer: C

3.Which of the following four configurations depicts the best approach for an Action that has been built to select a button to navigate to an Input Order screen?
A)

B)

C)

D)

A. Option A
B. Option B
C. Option C
D. Option D
Answer: A

4.A Process Definition Document, for a new process to open ISA accounts, specifies that the value "2008 Cash ISA" is to be entered into the Product Selection field of the following screen:

The Product Selection field is a drop down menu with the following options available:

According to Best Practice, which of the following design options are correct for populating the Product Selection field with the value 2008 Cash ISA:
A. The Product Selection value should be hard coded as 2008 Cash ISA in the stage that will populate the field.
B. A text data item, with an initial value of 2008 Cash ISA should be configured. This data item should be used as the input value to the stage that will populate the Product Selection field.
C. An input parameter should be configured in the start stage allowing the calling process to determine what value to be populated into the Product Selection number field
D. All of the above
Answer: C

5.A Process is fed cases to work from a spreadsheet held in a shared drive. The location of the shared drive is different between Development and Production environments.
How should this be managed?
A. During the build and test phase, hold the 'Development' path to the spreadsheet in a data item within a Process. When the Process is imported into Production it will be opened and the data item will be amended to hold the 'Production' path.
B. During the build and test phase, hold the 'Development' path to the spreadsheet in a data item within a Process. Expose this data item as a Session Variable. When the Process is run in Production, this Session Variable value can be set in Control Room
C. Hold the Path to the spreadsheet as an Environment Variable

D. Pass the Path as a Startup Parameter when the process starts

Answer: B