

EXAMGOOD

QUESTION & ANSWER

Exam Good provides update free of charge in one year!

Accurate study guides
High passing rate!

<http://www.examgood.com>

Exam : CPP

**Title : C++ Certified Professional
Programmer**

Version : DEMO

1.What happens when you attempt to compile and run the following code?

```
#include <iostream>
#include <set>
#include <vector>
using namespace std;
int main(){
int t[]={ 3, 4, 2, 1, 6, 5, 7, 9, 8, 0 };
vector<int>v(t, t+10);
multiset<int> s1(v.begin(),v.end());
s1.insert(v.begin(),v.end());
pair<multiset<int>::iterator,multiset<int>::iterator> range;
range = s1.equal_range(6);
while (range.first != range.second) {
cout<<*range.first<<" "; range.first++;
}
return 0;
}
```

- A.program outputs: 6 6
- B.program outputs: 5 7
- C.program outputs: 5 5 6 6 7 7
- D.program outputs: 5 5 7 7
- E.program outputs: 1 1 6 6 5 5

Answer: A

2.What happens when you attempt to compile and run the following code?

```
#include <vector>
#include <iostream>
#include <algorithm>
using namespace std;
template<class T>struct Out {
ostream & out;
Out(ostream & o): out(o){}
void operator()(const T & val ) {
out<<val<<" ";
}
};
struct Sequence {
int start;
Sequence(int start):start(start){}
int operator()() {
return start++ ; };
int main() {
vector<int> v1(10);
generate(v1.rbegin(), v1.rend(), Sequence(1));
```

```
rotate(v1.begin(),v1.begin() + 1, v1.end() );  
for_each(v1.begin(), v1.end(), Out<int>(cout) );cout<<endl;  
return 0;  
}
```

Program outputs:

A.1 2 3 4 5 6 7 8 9 10

B.10 9 8 7 6 5 4 3 2 1

C.9 8 7 6 5 4 3 2 1 10

D.1 10 9 8 7 6 5 4 3 2

Answer: C

3.What happens when you attempt to compile and run the following code?

```
#include <iostream>  
#include <fstream>  
#include <string>  
#include <list>  
#include <algorithm>  
#include <iomanip>  
using namespace std;  
class B { int val;  
public:  
B(int v=0):val(v){}  
int getV() const {return val;}  
operator int() const { return val; };  
template<class T>struct Out {  
ostream & out;  
Out(ostream & o): out(o){}  
void operator() (const T & val ) {out<<setw(3)<<hex<<val; } };  
int main () {  
int t[] = {1, 2, 3, 4, 5, 6, 7, 8, 9, 10};  
fstream f("test.out", ios::trunc|ios::out);  
list<B> l(t, t+10);  
for_each(l.begin(), l.end(), Out<B>(f));  
f.close();  
f.open("test.out");  
for( ; f.good() ; ) {  
B i;  
f>>i;  
cout<<i<<" ";  
}  
f.close();  
return 0;  
}
```

A.file test.out will be opened writing

- B.file test.out will be truncated
- C.file test.out will be opened for reading
- D.compilation error
- E.program will display sequence 1 2 3 4 5 6 7 8 9 10

Answer: D

4.What will happen when you attempt to compile and run the code below, assuming that you enter the following sequence: one two three<enter>?

```
#include <iostream>
#include <string>
using namespace std;
int main ()
{
string a;
cin>>a;
cout<<a<<endl;
return 0;
}
```

Program will output:

- A.one
- B.one two three
- C.runtime exception
- D.compilation error
- E.the result is unspecified

Answer: A

5.What will happen when you attempt to compile and run the following code?

```
#include <iostream>
#include <map>
#include <vector>
#include <sstream>
#include <string>
using namespace std;
int main() {
int t[] = { 3, 4, 2, 1, 0, 3, 4, 1, 2, 0 };
vector<int> v(t, t + 10);
multimap<int, string> m;
for (vector<int>::iterator i = v.begin(); i != v.end(); i++) {
stringstream s;s << *i << *i;
m.insert(pair<int, string>(*i, s.str()));
}
pair<multimap<int, string>::iterator, multimap<int, string>::iterator> range;
range = m.equal_range(2);
for (multimap<int, string>::iterator i = range.first; i != range.second; i++) {
```

```
cout << i?>first << " ";  
}  
return 0;  
}
```

The output will be:

- A.2 2
- B.1 2
- C.1 3
- D.2
- E.0 2

Answer: A

6.What happens when you attempt to compile and run the following code?

```
#include <vector>  
#include <iostream>  
#include <algorithm>  
using namespace std;  
class B { int val;  
public:  
B(int v):val(v){}  
int getV() const {return val;} bool operator < (const B & v) const { return val>v.val; } };  
ostream & operator <<(ostream & out, const B & v) { out<<v.getV(); return out;}  
template<class T>struct Out {  
ostream & out;  
Out(ostream & o): out(o){}  
void operator() (const T & val ) { out<<val<<" "; } };  
int main() {  
B t1[]={3,2,4,1,5};  
B t2[]={5,6,8,2,1};  
vector<B> v1(10,0);  
sort(t1, t1+5);  
sort(t2, t2+5);  
set_intersection(t1,t1+5,t2,t2+5,v1.begin());  
for_each(v1.begin(), v1.end(), Out<B>(cout));cout<<endl;  
return 0;  
}
```

Program outputs:

- A.compilation error
- B.1 2 3 4 5 6 8 0 0 0
- C.1 2 3 4 5 6 8 2 1 0
- D.5 2 1 0 0 0 0 0 0 0
- E.1 2 5 0 0 0 0 0 0 0

Answer: D

7.What happens when you attempt to compile and run the following code?

```
#include <list>
#include <vector>
#include <iostream>
using namespace std;
int main ()
{
    int t[] = {1, 2 ,3 ,4 ,5};
    vector<int>v1(t, t+5);
    list<int>l1;
    l1.assign(v1.end(), v1.begin());
    for(int i=0; i<l1.size(); i++)
    {
        cout<<l1.at(i)<<" ";
    }
    cout<<endl;
    return 0;
}
```

- A.program displays 5 4 3 2 1
- B.program displays 1 2 3 4 5
- C.compilation error
- D.segmentation fault runtime exception

Answer: C

8.What happens when you attempt to compile and run the following code?

```
#include <vector>
#include <iostream>
#include <algorithm>
using namespace std;
class B { int val;
public:
    B(int v):val(v){}
    int getV() const {return val;} bool operator < (const B & v) const { return val<v.val;} };
ostream & operator <<(ostream & out, const B & v) { out<<v.getV(); return out;}
template<class T>struct Out {
    ostream & out;
    Out(ostream & o): out(o){}
    void operator() (const T & val ) { out<<val<<" "; } };
int main() {
    B t1[]={3,2,4,1,5};
    B t2[]={6,10,8,7,9};
    vector<B> v1(10);
    sort(t1, t1+5);
    sort(t2, t2+5);
```

```
merge(t1,t1+5,t2,t2+5,v1.begin());
for_each(v1.begin(), v1.end(), Out<B>(cout));cout<<endl;
return 0;
}
```

Program outputs:

A.1 2 3 4 5 6 10 8 7 9

B.3 2 4 1 5 6 7 8 9 10

C.3 2 4 1 5 6 10 8 7 9

D.1 2 3 4 5 6 7 8 9 10

E.compilation error

Answer: E

9.Which sentence is correct about the code below?

```
#include <iostream>
#include <algorithm>
#include <vector>
using namespace std;
class A {
int a;
public:
A(int a) : a(a) {}
int getA() const { return a; }
void setA(int a) { this->a = a; }
/* Insert Code Here */
};
struct add10 { void operator()(A & a) { a.setA(a.getA() + 10); } };
int main() {
int t[] = { 10, 5, 9, 6, 2, 4, 7, 8, 3, 1 };
vector<A> v1(t, t + 10);
for_each(v1.begin(), v1.end(), add10());
vector<A>::iterator it = find(v1.begin(), v1.end(), A(7));
cout << it->getA() << endl;
return 0;
}
```

A.it will compile and print 7

B.it will not compile

C.it will compile but the program result is unpredictable

D.adding code:

```
bool operator !=(const A & b) const {
if (this->a != b.a) { return true; } return false; }
at Place 1 will allow the program to compile
```

Answer: B

10.What happens when you attempt to compile and run the following code?


```
#include <iostream>
#include <algorithm>
#include <vector>
using namespace std;
void myfunction(int i) {
    cout << " " << i;
}
void multiply (int a) {
    a*2;
}
int main() {
    int t[] = { 10, 5, 9, 6, 2, 4, 7, 8, 3, 1 };
    vector<int> v1(t, t+10);
    for_each(v1.begin(), v1.end(), multiply);
    iter_swap(v1.begin(),t+9);
    for_each(v1.begin(), v1.end(), myfunction);
    return 0;
}
```

Program outputs:

- A.1 5 9 6 2 4 7 8 3 1
- B.compilation error
- C.1 2 3 4 5 6 7 8 9 10
- D.10 9 8 7 6 5 4 3 2 1
- E.10 5 9 6 2 4 7 8 3 1

Answer: A

11.What happens when you attempt to compile and run the following code?

```
#include <vector>
#include <iostream>
#include <algorithm>
using namespace std;
template<class T>struct Out {
    ostream & out;
    Out(ostream & o): out(o){}
    void operator() (const T & val ) { out<<val<<" "; } };
int main() {
    int t[]={3,2,4,1,5,10,9,7,8,6};
    vector<int> v1(t,t+10);
    cout<<*max_element(v1.begin(), v1.end());
    return 0;
}
```

Program outputs:

- A.3
- B.1

C.6

D.10

E.compilation error

Answer: D

12.What happens when you attempt to compile and run the following code?

```
#include <vector>
#include <iostream>
#include <algorithm>
using namespace std;
template<class T>struct Out {
ostream & out;
Out(ostream & o): out(o){}
void operator() (const T & val ) { out<<val<<" "; } };
int main() {
int t1[]={3,2,4,1,5};
int t2[]={5,6,8,2,1};
vector<int> v1(10);
sort(t1, t1+5);
sort(t2, t2+5);
set_intersection(t1,t1+5,t2,t2+5,v1.begin());
for_each(v1.begin(), v1.end(), Out<int>(cout));cout<<endl;
return 0;
}
```

Program outputs:

A.compilation error

B.1 2 3 4 5 6 8 0 0 0

C.1 2 3 4 5 6 8 2 1 0

D.1 1 2 2 3 4 5 5 6 8

E.1 2 5 0 0 0 0 0 0 0

Answer: E

13.What happens when you attempt to compile and run the following code?

```
#include <iostream>
#include <algorithm>
#include <vector>
#include <deque>
#include <set>
using namespace std;
void myfunction(int i) {
cout << " " << i;
}
int main() {
int t[] = { 10, 5, 9, 6, 2, 4, 7, 8, 3, 1 };
```

```
vector<int> v1(t, t + 10);
deque<int> d1(t, t + 10);
set<int> s1(t, t + 10);
for_each(v1.begin(), v1.end(), myfunction); // Line I
for_each(d1.begin(), d1.end(), myfunction); // Line II
for_each(s1.begin(), s1.end(), myfunction); // Line III
return 0;
}
```

A.program outputs: 10 5 9 6 2 4 7 8 3 1 10 5 9 6 2 4 7 8 3 1 1 2 3 4 5 6 7 8 9 10

B.program outputs: 10 5 9 6 2 4 7 8 3 1 10 5 9 6 2 4 7 8 3 1 10 5 9 6 2 4 7 8 3 1

C.program outputs: 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10

D.compilation error in line I

E.compilation error in line III

Answer: A

14.What happens when you attempt to compile and run the following code?

```
#include <iostream>
#include <algorithm>
#include <map>
using namespace std;
int main() {
int t[] = { 10, 5, 9, 6, 2, 4, 7, 8, 3, 1 };
map<int, int> m;
for(int i=0; i < 10; i++) {
m[i]=t[i];
}
pair<const int,int> p(5,5);
map<int, int>::iterator it = find(m.begin(), m.end(), p);
if (it != m.end())
{
cout<<it->first<<endl;
}
else
{
cout<<"Not found!\n";
}
return 0;
}
```

Program outputs:

A.5

B.Not found!

C.10

D.compilation error

Answer: B

15.What happens when you attempt to compile and run the following code?

```
#include <iostream>
#include <algorithm>
#include <vector>
#include <set>
using namespace std;
void myfunction(int i) {
cout << " " << i;
}
int main() {
int t[] = { 10, 5, 9, 6, 2, 4, 7, 8, 3, 1 };
set<int> s1(t, t+10);
vector<int> v1(s1.rbegin(), s1.rend());
swap_ranges(s1.begin(), s1.end(), v1.begin());
for_each(v1.begin(), v1.end(), myfunction);
for_each(s1.begin(), s1.end(), myfunction);
return 0;
}
```

Program outputs:

- A.10 9 8 7 6 5 4 3 2 1 1 2 3 4 5 6 7 8 9 10
- B.compilation error
- C.1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10
- D.1 2 3 4 5 6 7 8 9 10 10 9 8 7 6 5 4 3 2 1
- E.10 9 8 7 6 5 4 3 2 1 10 9 8 7 6 5 4 3 2 1

Answer: B

16.What happens when you attempt to compile and run the following code?

```
#include <iostream>
#include <set>
#include <list>
using namespace std;
int main(){
int t[]={ 1, 1, 2, 2, 3, 3, 4, 4, 5, 5 };
list<int>v(t, t+10);
set<int> s1(v.begin(),v.end());
if (s1.count(3) == 2) {
s1.erase(3);
}
for(set<int>::iterator i=s1.begin();i!= s1.end(); i++) {
cout<<*i<<" ";
}
return 0;
}
```

- A.program outputs: 1 2 3 4 5
- B.program outputs: 1 2 4 5
- C.program outputs: 1 1 2 2 3 4 4 5 5
- D.program outputs: 1 1 2 3 3 4 4 5 5
- E.compilation error

Answer: A

17.What happens when you attempt to compile and run the following code?

```
#include <vector>
#include <iostream>
#include <algorithm>
#include <functional>
using namespace std;
template<class T>struct Out {
ostream & out;
Out(ostream & o): out(o){}
void operator() (const T & val ) { out<<val<<" "; } };
int Add(int a, int b) {
return a+b;
}
int main() {
int t[]={1,2,3,4,5,6,7,8,9,10};
vector<int> v1(t, t+10);
vector<int> v2(10);
transform(v1.begin(), v1.end(), v2.begin(), bind2nd(ptr_fun (Add),1));
vector<int>::iterator it = find_if(v2.begin(), v2.end(),bind2nd(equal_to<int>(),10));
cout<<*it<<endl;
return 0;
}
```

Program outputs:

- A.false
- B.true
- C.10
- D.0
- E.compilation error

Answer: C

18.What happens when you attempt to compile and run the following code?

```
#include <iostream>
#include <algorithm>
#include <vector>
#include <deque>
using namespace std;
void myfunction(int i) {
```

```

cout << " " << i;
}
int main() {
int t[] = { 10, 5, 9, 6, 2, 4, 7, 8, 3, 1 };
deque<int> d1(t, t+10);
vector<int> v1(d1.rbegin(), d1.rend());
sort(d1.begin(), d1.end());
swap_ranges(v1.begin(), v1.end(), d1.begin());
for_each(v1.begin(), v1.end(), myfunction);
for_each(d1.begin(), d1.end(), myfunction);
return 0;
}

```

Program outputs:

- A. 10 9 8 7 6 5 4 3 2 1 1 2 3 4 5 6 7 8 9 10
- B. compilation error
- C. 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10
- D. 1 2 3 4 5 6 7 8 9 10 1 3 8 7 4 2 6 9 5 10
- E. 1 3 8 7 4 2 6 9 5 10 1 2 3 4 5 6 7 8 9 10

Answer: D

19. What happens when you attempt to compile and run the following code?

```

#include <vector>
#include <iostream>
#include <algorithm>
using namespace std;
template<class T> struct Out {
ostream & out;
Out(ostream & o): out(o){}
void operator() (const T & val ) { out<<val<<" "; } };
int main() {
int t1[]={3,2,4,1,5};
int t2[]={5,6,8,2,1};
vector<int> v1(10);
sort(t1, t1+5);
sort(t2, t2+5);
set_union(t1,t1+5,t2,t2+5,v1.begin());
for_each(v1.begin(), v1.end(), Out<int>(cout));cout<<endl;
return 0;
}

```

Program outputs:

- A. 3 2 4 1 5 6 8 2 1 0
- B. 1 2 3 4 5 6 8 2 1 0
- C. 1 1 2 2 3 4 5 5 6 8
- D. 1 2 3 4 5 6 8 0 0 0

E.compilation error

Answer: D

20.What happens when you attempt to compile and run the following code?

```
#include <vector>
#include <iostream>
#include <algorithm>
using namespace std;
template<class T>struct Out {
ostream & out;
Out(ostream & o): out(o){}
void operator() (const T & val ) { out<<val<<" "; } };
int main() {
int t[]={3,2,4,1,5,10,9,7,8,6};
vector<int> v1(t,t+10);
sort(v1.begin(), v1.end(), greater<int>());
cout<<min_element(v1.begin(), v1.end());
return 0;
}
```

Program outputs:

A.3

B.1

C.6

D.10

E.compilation error

Answer: E