

# EXAMGOOD

## QUESTION & ANSWER

Exam Good provides update free of charge in one year!

Accurate study guides  
High passing rate!

<http://www.examgood.com>

**Exam : HP0-205**

**Title : Supporting the Enterprise  
Modular Library**

**Version : DEMO**

**1.You are at a customer site to repair an EML E-Series tape library. What is the first thing to consider before replacing any defective parts?**

- A.the part replacement procedure
- B.how the fault was caused
- C.customer site procedures
- D.firmware revision levels

**Correct:C**

**2.Which EML E-Series tape library FRU has a Command Line Interface port?**

- A.interface controller card
- B.robotics controller card
- C.Interface Manager memory card
- D.Interface Manager card

**Correct:D**

**3.Which HP software can be used to calculate the actual compression ratio of backup data?**

- A.Performance Analysis Tool
- B.Library and Tape Tools
- C.I/OMETER
- D.DPMETERM

**Correct:B**

**4.What is the most critical factor affecting performance at the disk subsystem during a backup?**

- A.disk connection speed
- B.disk fragmentation
- C.tape feed speed
- D.compression ratio

**Correct:B**

**5.An EML E-Series tape library is powered on. Before opening the library front door, \_\_\_\_.**

- A.operable robotics must be parked
- B.the library must be powered off
- C.the Operator Control Panel must indicate "service request"
- D.cartridges must be removed from the load ports

**Correct:A**

**6.Excessive R/W-head wear due to tape repositioning is a result of not providing the correct \_\_\_\_.**

- A.feed speed
- B.block size
- C.file size
- D.compression ratio

**Correct:A**

**7.Which component of the EML E-Series tape library is located in the top cPCI slot in the library base module card cage?**

- A.Interface Manager memory
- B.robotics controller
- C.interface controller
- D.Interface Manager

**Correct:B**

**8. Compared to an Ultrium 460 tape drive, the transfer rate for native data of an Ultrium 960 drive is \_\_\_\_.**

- A. slightly lower
- B. approximately the same
- C. approximately 2 times higher
- D. more than 2.5 times higher

**Correct: D**

**9. Which option of Command View TL is used to collect configuration information and execute a Device Analysis test on the selected device or devices for an EML E-Series tape library?**

- A. backup configuration
- B. get config
- C. report event logs
- D. generate support ticket

**Correct: D**

**10. Which file factor does NOT affect performance of tape devices in a SAN environment?**

- A. extension
- B. compressibility
- C. directory depth
- D. size (larger is better)

**Correct: A**