EXAMGOOD QUESTION & ANSWER

Exam Good provides update free of charge in one year!

Accurate study guides High passing rate!

http://www.examgood.com

Exam : HP0-M39

Title: HP QuickTest Professional10.0 Software

Version : Demo

- 1. How can you add recordable or nonrecordable operations to your test? (Select three.)
- A. Use the Step Generator.
- B. Insert through Keyword View.
- C. Drag objects from the object repository.
- D. Drag objects from the Active Screen.
- E. Drag objects from Available Keywords.
- F. Drag objects from the Data Table.

Answer: ABE

2.What is a QuickTest Professional test comprised of.?

- A. calls to actions
- B. calls to actions (reusable only)
- C. calls to QuickTest Professional tests
- D. calls and copies of actions

Answer: A

3.What are the advantages of automated testing? (Select three.)

- A. easier
- B. consistent
- C. reusable
- D. proactive
- E. abstract
- F. productive

Answer: BCF

4.During the planning phase, you decide to create multiple actions that can be combined and reused to achieve testing goals.

Which element is critical for identifying the actions to be recorded and how to combine them?

- A. input data
- B. parameters
- C. initial and end conditions
- D. visual cues

Answer: C

5. Which QuickTest Professional feature displays the recorded steps in graphical format?

- A. Data Table
- B. Active Screen
- C. Keyword View
- D. Expert View

Answer: C

6.Which QuickTest Professional features can be customized using the Customize menu command? (Select two.)

A. Menus

B. General options

- C. Test Settings
- D. Active Screen
- E.Toolbars

Answer: AE

7. In which Options tab can you set the option to minimize the space your stored test will require?

- A. Active Screen
- B. General
- C. Run
- D. Environment
- Answer: A

8. Which Active Screen capture level is the default setting?

- A. Complete
- B. Limited
- C. Partial
- D. Minimum
- Answer: C

9. Which actions can you perform using the Active Screen? (Select two.)

- A. Modify objects.
- B. Insert standard checkpoints.
- C. Insert XML checkpoints.
- D. Insert transactions.
- E.Insert steps.

Answer: BE

10. You record and save your test on a shared network drive as SampleWebTest.

What is created on the shared drive?

- A. a file named SampleWebTest.qtp
- B. a folder named SampleWebTest
- C. a file named SampleWebTest_Action1
- D. a temporary folder structure

Answer: B

- 11. What are examples of a visual cue condition? (Select two.)
- A. A button becomes visible.
- B. A record is inserted in the database.
- C. A progress bar displays.
- D. A button becomes enabled.
- E.A bitmap displays.

Answer: AD

Done

12.Identify the available column names in the Keyword View. (Select four.)

A. value

- B. documentation
- C. object
- D. record settings

E.property

F. method G. operation H. item

Answer: ABGH

13.Click Next or More to continue. Click the Task button. Click on the timeout value for the synchronization point defined in the script shown in the screenshot.

tem	Operation	Value
🔣 Action1		
🛨 🛄 Flight Reservation	Activate	
- 🔤 NewOrder	Click	
- 🎊 MaskEdBox	Туре	"120110"
- 🚟 Fly From:	Select	DataTable("flyFrom", dtLocalSheet)
- 🔡 Fly To:	Select	"Frankfurt"
- 🔜 FLIGHT	Click	
Function Call	Wait	1,50000
👻 📰 Flights Table		
L- 🔤 OK	Click	
Mame:	Set	DataTable("Passenger", dtGlobalSheet
- 🙆 Business	Set	
- 🔜 Insert Order	Click	
- Mee Order No:	Output	CheckPoint("Order No:")
🔅 Threed Panel Con	WaitProperty	"text","Insert Done",50000
- 🔜 NewOrder	Click	
- 🚾 OpenOrder	Click	
🕨 📰 Open Order		
NewOrder	Click	

Click on the timeout value for the synchronization point defined in the script shown in the screenshot.

Answer:

Item	Operation	Value
🛛 🏀 Action1		
👻 🛄 Flight Reservation	Activate	
NewOrder	Click	
- 🎊 MaskEdBox	Туре	"120110"
- 🔡 Fly From:	Select	DataTable("flyFrom", dtLocalSheet)
	Select	"Frankfurt"
- 🔜 FLIGHT	Click	
- 🥍 Function Call	Wait	1,50000
🖵 🚾 ОК	Click	
- Mare:	Set	DataTable("Passenger", dtGlobalSheet)
🚽 💿 Business	Set	
- millinsert Order	Click	
Order No:	Output	CheckPoint("Order No:")
- 🎊 Threed Panel Con	WaitProperty	"text","Insert Done",50000
- 🔤 NewOrder	Click	
- 🔤 OpenOrder	Click	-
🕨 📰 Open Order		
NewOrder	Click	

Click on the timeout value for the synchronization point defined in the script shown in the screenshot.

- 14. How does QuickTest Professional identify each object you record?
- A. by class and properties
- B. by class and methods
- C. by methods and properties
- D. by class only

Answer: A

15. Which term is used to define the name QuickTest Professional assigns to a recorded object?

- A. Physical Name
- B. Object Name
- C. Repository Name
- D. Logical Name
- Answer: D