

EXAMGOOD

QUESTION & ANSWER

Exam Good provides update free of charge in one year!

Accurate study guides
High passing rate!

<http://www.examgood.com>

Exam : **NSE6_FML-6.2**

Title : Fortinet NSE 6 - FortiMail
6.2

Version : DEMO

1.A FortiMail is configured with the protected domain example.com.

On this FortiMail, which two envelope addresses are considered incoming? (Choose two.)

- A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org
- B. MAIL FROM: support@example.com RCPT TO: marketing@example.com
- C. MAIL FROM: training@external.org RCPT TO: students@external.org
- D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com


Answer: C,D

Explanation:

Reference:

https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d-11ea-9384-00505692583a/FortiMail-6.4.0-Administration_Guide.pdf (30)

2.Refer to the exhibit.



IBE Encryption	
Enable IBE service	<input checked="" type="checkbox"/>
IBE service name:	Example Secure Portal
User registration expiry time (days):	30
User inactivity expiry time (days):	90
Encrypted email storage expiry time (days):	180
Password reset expiry time (hours):	24
Allow secure replying	<input checked="" type="checkbox"/>
Allow secure forwarding	<input type="checkbox"/>
Allow secure composing	<input type="checkbox"/>
IBE base URL:	
"Help" content URL:	
"About" content URL:	
Allow custom user control	<input type="checkbox"/>

Which statement describes the impact of setting the User inactivity expiry time option to 90 days?

- A. IBE user accounts will expire after 90 days of inactivity, and must register again to access new IBE email message
- B. Registered IBE users have 90 days from the time they receive a notification email message to access their IBE email
- C. After initial registration, IBE users can access the secure portal without authenticating again for 90 days
- D. First time IBE users must register to access their email within 90 days of receiving the notification email message

Answer: A

Explanation:

Reference: https://docs.fortinet.com/document/fortimail/6.4.0/cli-reference/813529/system-encryption-ibe#config_3733402351_2450215

3.Refer to the exhibit.

Which two statements about the access receive rule are true? (Choose two.)

- A. Email matching this rule will be relayed
- B. Email must originate from an example.com email address to match this rule
- C. Senders must be authenticated to match this rule
- D. Email from any host in the 10.0.1.0/24 subnet can match this rule

Answer: A,B

4.Which firmware upgrade method for an active-passive HA cluster ensures service outage is minimal, and there are no unnecessary failovers?

- A. Break the cluster, upgrade the units independently, and then form the cluster
- B. Upgrade both units at the same time
- C. Upgrade the standby unit, and then upgrade the active unit
- D. Upgrade the active unit, which will upgrade the standby unit automatically

Answer: B

Explanation:

Reference:

<https://docs.fortinet.com/document/fortimail/6.2.0/administration-guide/725928/upgrading-firmware-on-ha-units>

5.Refer to the exhibit.

```
C:\>nslookup -type=mx example.com
Server:  PriNS
Address: 10.200.3.254

Non-authoritative answer:
example.com      MX preference = 10, mail exchanger = mx.hosted.com
example.com      MX preference = 20, mail exchanger = mx.example.com
```

Which two statements about the MTAs of the domain example.com are true? (Choose two.)

- A. The external MTAs will send email to mx.example.com only if mx.hosted.com is unreachable
- B. The PriNS server should receive all email for the example.com domain
- C. The primary MTA for the example.com domain is mx.hosted.com
- D. The higher preference value is used to load balance more email to the mx.example.com MTA

Answer: A,C